




FROC/A316 – Federbelastetes Tellerventil in A316 DN 32:400

Rückschlagklappe aus PVC-C mit Feder, ISO-DIN-Ausführung.

FROC/A316 - Federbelastetes Tellerventil in A316 DN 32:400



EPDM

Artikel	d	DN	product.detail.attribute.PN	A	B	product.detail.attribute.C	product.detail.attribute.De	Di	Z	g
FROC040EMLX	40	32	10	59	22	25	85	18	15	130
FROC050EMLX	50	40	10	72	25	28	95	22	16	173
FROC063EMLX	63	50	10	86	37	29	109	32	18	290
FROC075EMLX	75	65	10	105	50	31	129	40	20	368
FROC090EMLX	90	80	10	119	61	32	144	54	20	441
FROC110EMLX	110	100	10	146	77	31	164	70	23	616
FROC140EMLX	140	125	10	173	94	35	195	92	23	834
FROC160EMLX	160	150	6	197	100	40	220	105	26	1233
FROC225EMLX	225	200	6	255	152	38	275	154	34	2333
FROC280EMLX	280	250	5	312	180	41	330	192	40	3919
FROC315EMLX	315	300	5	363	215	41	380	227	45	5874
FROC355EMLX	350	350	5	416	245	44	440	266	49	8538
FROC400EMLX	400	400	5	467	285	50	491	310	65	14103

FKM

Artikel	d	DN	product.detail.attribute.PN	A	B	product.detail.attribute.C	product.detail.attribute.De	Di	Z	g	product.de ["d"]
FROC040FMLX	40	32	10	59	22	25	85	18	15	130	-
FROC050FMLX	50	40	10	72	25	28	95	22	16	173	-

FROC/A316 – Federbelastetes Tellerventil in A316 DN 32:400

Artikel	d	DN	product.detail.attribute.PN	A	B	product.detail.attribute.C	product.detail.attribute.De	Di	Z	g	product.de [["d"
FROC063FMLX	63	50	10	86	37	29	109	32	18	290	-
FROC075FMLX	-	-	-	-	-	-	-	-	-	-	75]
FROC090FMLX	90	80	10	119	61	32	144	54	20	441	-
FROC110FMLX	110	100	10	146	77	31	164	70	23	616	-
FROC140FMLX	140	125	10	173	94	35	195	92	23	834	-
FROC160FMLX	160	150	6	197	100	40	220	105	26	1233	-
FROC225FMLX	225	200	6	255	152	38	275	154	34	2333	-
FROC280FMLX	280	250	5	312	180	41	330	192	40	3919	-
FROC315FMLX	315	300	5	363	215	41	380	227	45	5874	-
FROC355FMLX	350	350	5	416	245	44	440	266	49	8538	-
FROC400FMLX	400	400	5	467	285	50	491	310	65	14103	-