

M9.00.XX

2-Draht-Durchflussanzeiger und Messumformer für die Feldmontage.



Artikel	product.detail.attribute. ["]	Stromversorgung	product.detail.attribute.Wire power Technology	Sensoreingang	product.detail.attribute.Output	produ
M9.00.01]	-	-	-	-	-
M9.00.02	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L0
M9.00.03	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.04	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.05	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L0
M9.00.06	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L0
M9.00.07	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.08	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.09	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L0
M9.00.10	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L0
M9.00.11	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1
M9.00.12	-	12 - 24 VCC	2 wire	Flow (Frequency)	1*(4-20mA) \$ 1*(S.S.R.)	L1