


# Pressure pipe PN10 solvent socket UNI EN ISO 1452-2

PVC-U PN10 Pressure pipe solvent socket UNI EN ISO 1452-2, Grey RAL 7011, length 6m.

Pressure pipes for joint system by cold chemical welding (gluing through the use of suitable WELD-ON adhesive and detergent primer) or FORSHEDA 601 POWERLOCK<sup>®</sup> pre-inserted and locked gasket joint.

Lareter rigid PVC pipes for pressure pipes are guaranteed by the certifications issued by IIP, CSTB, DVGW, WRAS and IMO.

- **Size range:** d 16 - d 500 (mm)
- **Nominal pressure:** PN 6-10-12,5-16-20-25 with water at 20° C
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards**
  - **Solvent welding:** EN ISO 15493, EN ISO 1452, DIN 8061/2.
  - **Coupling:** Forsheda 601 POWER-LOCK<sup>®</sup> Gasket
- **Reference standards**
  - **Construction criteria:** EN ISO 15493, EN ISO 1452, DIN 8061/2
  - **Test methods and requirements:** EN ISO 15493, EN ISO 1452, DIN 8061/2
  - **Installation criteria:** DVS 2204, DVS 2221, UNI 11242, EN ISO 1452, DIN 8061/2
- **Pipe material:** PVC-U dark grey RAL 7011



Reference	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIPEV21032I6L	32	1.6	65	0.24	449
PIPEV21040I6L	40	1.9	70	0.36	275
PIPEV21050I6L	50	2.4	85	0.56	194
PIPEV21063I6L	63	3	90	0.89	123
PIPEV21075I6L	75	3.6	105	1.24	87
PIPEV21090I6L	90	4.3	130	1.78	96
PIPEV26110I6L	110	4.2	140	2.15	57
PIPEV26125I6L	125	4.8	150	2.77	51
PIPEV26140I6L	140	5.4	165	3.54	45
PIPEV26160I6L	160	6.2	175	4.61	33
PIPEV26180I6L	180	6.9	180	5.78	28
PIPEV26200I6L	200	7.7	200	7.16	20
PIPEV26225I6L	225	8.6	215	8.99	18

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations

# Pressure pipe PN10 solvent socket UNI EN ISO 1452-2

Reference	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIPEV26250I6L	250	9.6	200	11.14	12
PIPEV26280I6L	280	10.7	200	13.88	11
PIPEV26315I6L	315	12.1	240	17.61	9
PIPEV26355I6L	355	13.6	280	22.33	6
PIPEV26400I6L	400	15.3	280	28.23	5
PIPEV26500I6L	500	19.1	350	43.91	2

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations