


Pressure pipe PVC-U PN16 liscio

Tubo a pressione PVC-U PN16 liscio UNI EN ISO 1452-2, Grigio RAL 7011, lunghezza 6m.

Pressure pipes for joint system by cold chemical welding (gluing through the use of suitable WELD-ON adhesive and detergent primer) or FORSHEDA 601 POWERLOCK® pre-inserted and locked gasket joint.

Lareter rigid PVC pipes for pressure pipes are guaranteed by the certifications issued by IIP, CSTB, DVGW, WRAS and IMO.

- **Size range:** d 16 - d 500 (mm)
- **Nominal pressure:** PN 6-10-12,5-16-20-25 with water at 20° C
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards**
 - **Solvent welding:** EN ISO 15493, EN ISO 1452, DIN 8061/2.
 - **Coupling:** Forsheda 601 POWER-LOCK® Gasket
- **Reference standards**
 - **Construction criteria:** EN ISO 15493, EN ISO 1452, DIN 8061/2
 - **Test methods and requirements:** EN ISO 15493, EN ISO 1452, DIN 8061/2
 - **Installation criteria:** DVS 2204, DVS 2221, UNI 11242, EN ISO 1452, DIN 8061/2
- **Pipe material:** PVC-U dark grey RAL 7011



Reference	D (mm)	S (mm)	Weight (kg/m)	Qty x pallet
PIPEV1302006L	20	1.5	0.14	1166
PIPEV1302506L	25	1.9	0.22	757
PIPEV1303206L	32	2.4	0.35	449
PIPEV1304006L	40	3	0.54	275
PIPEV1305006L	50	3.7	0.83	194
PIPEV1306306L	63	4.7	1.31	123
PIPEV1307506L	75	5.6	1.86	87
PIPEV1309006L	90	6.7	2.66	96
PIPEV1711006L	110	6.6	3.26	57
PIPEV1712506L	125	7.4	4.15	51
PIPEV1714006L	140	8.3	5.29	45
PIPEV1716006L	160	9.5	6.89	33

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations



Pressure pipe PVC-U PN16 liscio

Reference	D (mm)	S (mm)	Weight (kg/m)	Qty x pallet
PIPEV1718006L	180	10.7	8.72	28
PIPEV1720006L	200	11.9	10.75	20
PIPEV1722506L	225	13.4	13.63	18
PIPEV1725006L	250	14.8	16.70	12
PIPEV1728006L	280	16.6	20.91	11
PIPEV1731506L	315	18.7	26.49	9
PIPEV1735506L	355	21.1*	33.31	6
PIPEV1740006L	400	23.7*	42.44	5
PIPEV1750006L	500	29.7*	63.6	2

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations

