


Pressure pipe PN10 solvent socket DIN-8061-62

PVC-U PN10 Pressure pipe solvent socket DIN-8061-62, Grey RAL 7011, length 6m.

Pressure pipes for joint system by cold chemical welding (gluing through the use of suitable WELD-ON adhesive and detergent primer) or FORSHEDA 601 POWERLOCK[®] pre-inserted and locked gasket joint.

Lareter rigid PVC pipes for pressure pipes are guaranteed by the certifications issued by IIP, CSTB, DVGW, WRAS and IMO.

- **Size range:** d 16 - d 500 (mm)
- **Nominal pressure:** PN 6-10-12,5-16-20-25 with water at 20° C
- **Temperature range:** 0 °C ÷ 60 °C
- **Coupling standards**
 - **Solvent welding:** EN ISO 15493, EN ISO 1452, DIN 8061/2.
 - **Coupling:** Forsheda 601 POWER-LOCK[®] Gasket
- **Reference standards**
 - **Construction criteria:** EN ISO 15493, EN ISO 1452, DIN 8061/2
 - **Test methods and requirements:** EN ISO 15493, EN ISO 1452, DIN 8061/2
 - **Installation criteria:** DVS 2204, DVS 2221, UNI 11242, EN ISO 1452, DIN 8061/2
- **Pipe material:** PVC-U dark grey RAL 7011



Reference	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIPEV21032I6L	32	1.6	65	0.24	449
PIPEV21040I6L	40	1.9	70	0.36	275
PIPEV21050I6L	50	2.4	85	0.56	194
PIPEV21063I6L	63	3	90	0.89	123
PIPEV21075I6L	75	3.6	105	1.24	87
PIPEV21090I6L	90	4.3	130	1.78	96
PIPEV21140I6L	140	6.7	165	4.33	45
PIPEV21160I6L	160	7.7	175	5.67	33
PIPEV21180I6L	180	8.6	180	7.32	28
PIPEV21200I6L	200	9.6	200	8.81	20
PIPEV21225I6L	225	10.8	215	11.13	18
PIPEV21250I6L	250	11.9	200	13.62	12
PIPEV21280I6L	280	13.4	200	17.19	11

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations



Pressure pipe PN10 solvent socket DIN-8061-62

Reference	D (mm)	S (mm)	Lb (mm)	Weight (kg/m)	Qty x pallet
PIPEV21315I6L	315	15	240	21.59	9
PIPEV21355I6L	355	16.9	280	27.11	6
PIPEV21400I6L	400	19.1	280	34.77	5
PIPEV26110I6L	110	5.3	140	2.67	57
PIPEV26125I6L	125	6	150	3.41	51

All information subject to change.

Please contact us on <https://www.aliaxis.co.uk/get-in-touch> for further informations

