

Repair set

RPS repair set for retaining residual water after the water runs

- When executing repair work and integration work on HD-PE water pipes in dimensions d 90 to d 900
- Comprising:
 - Universal repair set with pump
 - Gauge
 - Drill
 - Connection hose
 - In addition, dimensional repair balloons
- Optional extension kit for the universal repair set for connecting another repair balloon
- Comprising:
 - Connection hose 3 m
 - Gauge

Note:

From dimension d 355 onwards, the drilling set FWAB 225 (Order No. 613830) is required for drilling.

When using the repair set up to d 225, FRIALEN repair and reinforcement saddles RSV are required.

From d 250, FRIALEN repair saddles Top-Loading RS TL or saddles with spigot Universal SA UNI are required.



Reference	Short text	Weight [kg]	BX	Pallet quantity
613701	Universal repair set for d 90 - d 900	2,000	1	200
613715	Extension kit for d 90 - d 900	0,500	1	200
613702	Repair balloon Type 1 for d 90 - d 180	0,500	1	200
613703	Repair balloon Type 2 for d 200 - d 315	0,500	1	200
613704	Repair balloon Type 3 for d 355 - d 450	0,500	1	200

RPS**Repair set**

Reference	Short text	Weight [kg]	BX	Pallet quantity
613705	Repair balloon Type 4 for d 500 - d 560	0,500	1	200
613706	Repair balloon Type 5 for d 630	0,500	1	200
613707	Repair balloon Type 6 for d 710	0,500	1	200
613708	Repair balloon Type 7 for d 800	0,500	1	200
613709	Repair balloon Type 8 for d 900	0,500	1	200
613700	Transport box	2,100	1	48

RPS

Repair set

Application

The FRIATOOLS RPS repair kit with repair balloons functions as a reliable barrier against residual water discharging from the pipe.

The RPS repair kit keeps the work area dry while a electrofusion welding is being prepared for the repair of damaged or for the integration of new HDPE drinking water pipes.

The crucial difference

Having the correct tools to perform installation on site makes all the difference. We see ourselves as specialists in the electrofusion of HDPE piping systems, so our development work has also included equipment and accessories for your needs from the very outset.

We know exactly what matters and what is needed in the field, and we can offer you a range of equipment tailored to the daily challenges encountered on the building site:

Put your trust in tools that produce the perfect results.

Good reasons for using the FRIATOOLS repair kit RPR:

- Use of the repair ballon technique for the safe retention of residual water from pipelines.
- Suitable for repair work on damaged pipelines or for connections
- Allows a dry working area during the processing of a electrofusion fitting in the nominal diameters d 90 - d 900
- Consisting of universal repair kit with pump, manometer, driller and connecting hose as well as additional repair ballons for each nominal diameter
- Optional extension set consisting of additional connection hose and manometer
- In order to close the bore after the repair, FRIALEN repair saddles VVS (\leq d 225) or VSC-TL, SA-XL, RS-XL (\geq d 225) are required (see price list FRIALEN)