


VKRBM – DUAL BLOCK® regulating ball valve DN 10:50

DUAL BLOCK® regulating ball valve with long spigot male ends in PP-H for butt welding or electrofusion (CVDM).

The VKR DUAL BLOCK® valve combines high reliability and safety aspects typical of VKD full bore ball valves with the new flow adjustment function with typical linear curve that meets the most stringent needs typical of industrial applications.

- HIPVC ergonomic multifunctional handle with **position indicator** and tool to adjust the ball seat carrier
- Flow direction and opening angle indication plate with **graduated scale with 5° detail** for clear and accurate readings
- 90° operating angle that permits **the use of standard** quarter turn **actuators**
- The patented ball design provides **linear flow adjustment** throughout its range of operation even when the valve is open just a few degrees and guarantees minimum pressure drops
- Patented **DUAL BLOCK®** system: prevents union nuts from loosening even under extreme operating conditions: e.g. vibration or thermal expansion
- Connection system for solvent weld, threaded and flanged joints
- Patented **SEAT STOP®** ball carrier system that lets you micro-adjust seals and minimise the axial force effect
- Easy radial dismounting allowing quick replacement of O-rings and ball seats without any need for tools
- **PN16 True Union valve body** made for rigid PVC-U injection moulding equipped with built-in bores for actuation. ISO 9393 compliant test requisites
- Option of dismounting downstream pipes with the valve in the closed position
- High surface finish stem with double O-Ring and double connection key to ball
- **Integrated bracket** for valve anchoring
- Ball seat carrier can be adjusted using the **Easytorque adjustment kit**
- Actuation option: version with electric modulating actuator with 4-20 mA / 0-10 V inlet and 4-20 mA / 0-10 V outlet to monitor the position
- Valve suitable for carrying fluids that are clean and free of suspended particles



EPDM

All information subject to change.

Please contact us on <https://www.aliasis.co.uk/get-in-touch> for further informations

VKRBM - DUAL BLOCK® regulating ball valve DN 10:50

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020E	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025E	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032E	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040E	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050E	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063E	63	50	10	108	62	134	76	122	300	111	65,5	161	1607

EPDM

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020EOLF	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025EOLF	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032EOLF	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040EOLF	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050EOLF	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063EOLF	63	50	10	108	62	134	76	122	300	111	65,5	161	1607

EPDM

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020EOSF	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025EOSF	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032EOSF	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040EOSF	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050EOSF	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063EOSF	63	50	10	108	62	134	76	122	300	111	65,5	161	1607

FKM

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020F	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025F	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032F	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040F	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050F	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063F	63	50	10	108	62	134	76	122	300	111	65,5	161	1607

All information subject to change.

Please contact us on <https://www.aliasis.co.uk/get-in-touch> for further informations

VKRBM - DUAL BLOCK® regulating ball valve DN 10:50

FKM

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020FOLF	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025FOLF	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032FOLF	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040FOLF	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050FOLF	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063FOLF	63	50	10	108	62	134	76	122	300	111	65,5	161	1607

FKM

Reference	d	DN	PN	B	B ₁	C	C ₁	E	H	H ₁	L	Z	g
VKRBM020FOSF	20	15	10	54	29	67	40	54	175	65	40,5	94	220
VKRBM025FOSF	25	20	10	65	35	85	49	65	212	70	54	106	340
VKRBM032FOSF	32	25	10	70	39	85	49	73	226	78	56	117	443
VKRBM040FOSF	40	32	10	83	46	108	64	86	246	88	56	131	593
VKRBM050FOSF	50	40	10	89	52	108	64	98	271	93	60,5	145	945
VKRBM063FOSF	63	50	10	108	62	134	76	122	300	111	65,5	161	1607