

FRIASTOP M



Gas-Stop Sentry GS by Maxitrol

Gas-Stop FRIASTOP with Sentry GS System by Maxitrol

- Gas and H2 (100 %)
- Working pressure:
 - Type Z and B MOP (Gas) 5 bar
 - Type D MOP (Gas) 1 bar
- Material: PE 100-RC
- Overflow device for Type D and Z
- Function with admixture of 100 % hydrogen
- Safety technology
- DVGW test mark: DV-8601AU2248 and DG-4360BO0438

Note:

Application 100% hydrogen according to current regulations.



Reference	Diameter	Type	D	L	t	Operating pressure range $p_{min} - p_{max}$	VN	Weight [kg]	BX	Pallet quantity
616187	32	Z	45	136	65	35 mbar - 5 bar	17 - 40	0,140	40	1280
616188	40	Z	54	146	71	35 mbar - 5 bar	26 - 62	0,220	30	960
616189	50	Z	68	175	85	35 mbar - 5 bar	41 - 99	0,380	16	512
616190	63	Z	82	197	96	35 mbar - 5 bar	66 - 158	0,530	10	320
616191	32	D	45	136	65	25 mbar - 1 bar	11 - 16	0,140	40	1280
616193	40	D	54	146	71	25 mbar - 1 bar	19 - 27	0,220	30	960
616195	50	D	68	175	85	25 mbar - 1 bar	28 - 40	0,380	16	512
616197	63	D	82	197	96	25 mbar - 1 bar	51 - 72	0,530	10	320
616192	32	B	45	136	65	100 mbar - 5 bar	26 - 60	0,140	40	1280